



YOU CAN'T TAKE IT BACK...

ONCE THEY'RE JABBED

DID THEY TELL YOU?

- Children aged 12-15 years are competent to consent to vaccination **without parental permission** - according to the Ministry of Health and the Immunisation Advisory Centre (IMAC).
- Pfizer's "COVID-19 Vaccine" is an **experimental gene therapy** still in clinical trials - including for children.
- The Pfizer COVID-19 vaccine **does NOT prevent** a person from catching or passing on the SARS-CoV-2 virus.
- Reactions to the vaccine are common and **serious adverse events** are having devastating, and likely life-long, effects.
- Heart inflammation (myocarditis), a serious vaccine reaction, **is never mild in children**, despite the Ministry's assurance.
- **Children have a vanishingly LOW risk** of becoming seriously ill with COVID-19.
- COVID-19 in children is almost always a mild, flu-like illness, from which **99.998% recover**.
- Since 2000 **Pfizer has paid over \$4.6 billion in fines and settlements** for criminal, misleading and deceptive conduct.



VOICES
FOR
FREEDOM

www.VoicesForFreedom.co.nz

COMMON QUESTIONS



HOW SERIOUS IS COVID-19 FOR CHILDREN?

NZ's Starship Hospital says COVID-19 still appears to remain **mostly a mild and/or asymptomatic disease** in younger children.

The UK's Joint Committee on Vaccination and Immunisation says that for the vast majority of children, SARS-CoV-2 infection is **asymptomatic or mildly symptomatic and will resolve without treatment**.

According to the USA's Centers for Disease Control and Prevention, the **survival rate of children** aged from birth to 17 years old is **99.998%**.



HOW SAFE IS THE "VACCINE" FOR CHILDREN?

The UK's Joint Committee on Vaccination and Immunisation has assessed that **the risks to healthy children outweigh the benefits** at this time.

Furthermore, Pfizer's Comirnaty COVID-19 Vaccine **lacks long-term safety data**, including on children. The trials for safety and efficacy in children **will not be completed** until the end of 2023 at least.

So far, trials for 12-15-year-olds **only followed 660 vaccine recipients** for 2 months. The trial for 5-11-year-olds studied 1,518 children.

Pfizer said the clinical development programme was **"too small to detect any potential risks of myocarditis [heart inflammation] associated with vaccination"**, and that "myocarditis/pericarditis in participants 5-12 years of age **will not be studied** until **AFTER** the vaccine is authorised for children".

The information on this leaflet is educational only and does not constitute medical or legal advice.



CAN VACCINATED CHILDREN PASS ON THE VIRUS TO ADULTS, AND VICE VERSA?

The USA's Centers for Disease Control and Prevention says a **fully vaccinated person can still get infected** with COVID-19 and **may spread COVID-19 to others**.

According to a recent study in The Lancet medical journal (October 29, 2021), the **vaccine's effect on reducing transmission is minimal** in the context of Delta variant circulation.



WHAT ARE THE HEALTH RISKS ASSOCIATED WITH THE JAB?

Mounting evidence in countries expanding emergency use of the vaccine to children aged 5 years and older and young adults, shows a **significant number of serious side effects**.

These health issues include myocarditis, pericarditis, vaccine-induced thrombotic thrombocytopenia, related cerebral (head) vein thrombosis (blood clots), and menstruation problems.

Also concerning are paediatric inflammatory multisystem syndrome (PIMS), spike protein-induced autoimmune disease, prion-like encephalitis, antibody-dependent enhancement (ADE), and other potential risks discussed in the medical literature.



NEW ZEALAND MEDSAFE'S OFFICIAL SAFETY SIGNALS ...

Recently Medsafe added "AEFI for children" (Adverse Event Following Immunisation) to their table of: "Summary of investigations into possible safety signals". As of October 16, a total of 2,738 AEFI reports in children aged 10-19 have been filed.

VOICES FOR FREEDOM

www.VoicesForFreedom.co.nz/kids